PATENT APPLICATION TRANSMITTAL LETTER (Large Entity)

;11-13-98 ; 3:34PM ;

Docket No. 1038-865 MIS

		AUGISTAIN COL	MINIDOIONER	CFUR	PAIENIS			
Transmitted herewith f	or filing under 3	5 U.S.C. 111 and	d 37 C.F.R. 1.	.53 is th	ne patent application of:	۲ 🚞 ً		
Connaught Laboratories Limited						246 246		
For:						1951 1961 1961 1961		
	ALPHAVIRUS VECTORS FOR PARAMYXOVIRUS VACCINES							
Enclosed are:	÷ 📻							
☐ Certificate of Maili	ing with Express sheets of d		bel No.					
☐ A certified copy of								
Declaration	Signed.	Unsigned.	application.			•		
Power of Attorney								
information Disclo Preliminary Amen								
Other:	onen							
price and the second se								
E	CLAIMS AS FILED							
For	#Filed	#Ailowed	#Extra		Rate	Fee		
Total Claims	38	-20 =	18	x	\$22.00	\$396.00		
Indep. Claims	3	- 3 =	0	×	\$82.00	\$0.00		
Multiple Dependent C	laims (check If	applicable)	٥			\$0.00		
					BASIC FEE	\$790.00		
					TOTAL FILING FEE	\$1,186.00		
☐ Charge the	ir is hereby author. A duplicate of element of roverpayment. A additional filling is such as a constant of the constant of t	orized to charge copy of this sheet ar og fees required L n 37 C.F.R. 1.18	it is enclosed. as filing fee. under 37 C.F.F	eposit A	Account No.			
cc:								

PO1LARGE/REVOS

10

MIS 1038-864 1998 11 13 D2 TITLE OF INVENTION

ALPHAVIRUS VECTORS FOR PARAMYXOVIRUS VACCINES

FIELD OF INVENTION

The present invention relates to the field of paramyxoviridae vaccines and is particularly concerned with vaccines comprising DNA encoding the fusion (F) protein of respiratory syncytial virus (RSV) in an alphavirus vector.

BACKGROUND OF THE INVENTION

Human respiratory syncytial virus (RSV) has been identified as a major pathogen responsible for severe 15 respiratory tract infections in infants, young children and the institutionalized elderly (refs. throughout this application, various references are cited in parentheses to describe more fully the state of the art to which this invention pertains. 20 bibliographic information for each citation is found at the end of the specification, immediately preceding the claims. The disclosures of these references are hereby incorporated by reference into the present disclosure). Global mortality and morbidity figures indicate that 25 there is an urgent need for an efficacious RSV vaccine (refs. 5,6). In the USA alone, approximately 100,000 children are hospitalized annually with severe cases of pneumonia and bronchiolitis resulting from an RSV Inpatient and ambulatory care for children with RSV infections has been estimated to cost in excess 30 of \$340 million each year in the USA. The World Health Organization (WHO) and the National Institute of Allergy and Infectious Disease (NIAID) vaccine advisory

.

10

15

20

25

30

committees have ranked RSV second only to HIV for vaccine development. Both the annual morbidity and mortality figures as well as the staggering health care costs for managing RSV infections have provided the incentive for aggressively pursuing the development of efficacious RSV vaccines. However, such a vaccine is still not available.

Formalin-inactivated (FI-RSV) and live attenuated RSV vaccines have failed to demonstrate efficacy in clinical trials (refs. 7,8,9,10). Moreover, the formalin-inactivated RSV vaccine caused enhanced disease in some children following exposure to wild-type RSV (refs. 7,8,9,10). Elucidation of the mechanism(s) involved in the potentiation of RSV disease is important for the design of safe RSV vaccines, especially for the seronegative population. Recent experimental evidence suggests that an imbalance in cell-mediated responses may contribute to immunopotentiation. histopathology observed in mice that were immunized with the FI-RSV and challenged with virus could be abrogated by depletion of CD4+ cells or both interleukin-4 (IL-4) and IL-10.

The RSV fusion (F) glycoprotein is one of the major immunogenic proteins of the virus. This envelope glycoprotein mediates both fusion of the virus to the host cell membrane and cell-to-cell spread of the virus (ref. 1). The F protein is synthesized as a precursor (F₀) molecule which is proteclytically cleaved to form a disulphide-linked dimer composed of the N-terminal F₂ and C-terminal F₃ molecules (ref. 11). The amino acid sequence of the F protein is highly conserved among RSV

20

25

30

;11-13-98 ; 3:35PM ;

3

subgroups A and B and is a cross-protective antigen (refs. 6,12). In the baculovirus expression system, a truncated secreted version of the RSV F protein has been expressed in Trichoplusia ni insect cells (ref. 13). The recombinant protein was demonstrated to be protective in the cotton rats (ref. 13).

Studies on the development of live viral vaccines and glycoprotein subunit vaccines against parainfluenza virus infection are being pursued. Clinical trial results with a formalin-inactivated PIV types 1,2,3 vaccine demonstrated that this vaccine was not efficacious (refs. 14, 15, 16). Further development of chemically-inactivated vaccines was discontinued after clinical trials with a formalin-inactivated RSV vaccine 15 demonstrated that not only was the vaccine not effective in preventing RSV infection but many of the vaccinees who later become infected with RSV suffered a more serious disease. Most of parainfluenza vaccine research has focused on candidate PIV-3 vaccines (ref. 17) with significantly less work being reported for PIV-1 and Recent approaches to PIV-3 vaccines have included the use of the closely related bovine parainfluenza virus type 3 and the generation of attenuated viruses by cold-adaptation of the virus (refs. 18, 19, 20, 21).

Another approach to parainfluenza virus type 3 vaccine development is a subunit approach focusing on the surface glycoproteins hemagglutinin-neuraminidase (HN) and the fusion (F) protein (refs. 22, 23, 24). The HN antigen, a typical type II glycoprotein, exhibits both haemagglutination and neuraminidase activities and

D919DF46.111398

15

20

25

is responsible for the attachment of the virus to sialic acid containing host cell receptors. The type I F glycoprotein mediates fusion of the viral envelope with the cell membrane as well as cell to cell spread of the 5 virus. It has recently been demonstrated that both the HN and F glycoproteins are required for membrane fusion. The F glycoprotein is synthesized as an inactive precursor (F) which is proteolytically cleaved into disulfide-linked F2 and F1 moieties. While the HN and F proteins of PIV-1, -2 and -3 are structurally similar, 10 are antigenically distinct. Neutralizing antibodies against the HN and F proteins of one of PIV type are not cross-protective. Thus, an effective PIV subunit vaccine must contain the HN and F glycoproteins from the three different types of parainfluenza viruses. Antibody to either glycoprotein is neutralizing in vitro. A direct correlation has been observed between the level of neutralizing antibody titres and resistance to PIV-3 infections in infants. Native subunit vaccines for parainfluenza virus type 3 have investigated the protectiveness of the two surface glycoproteins. Typically, the glycoproteins are extracted from virus using non-ionic detergents and further purified using lectin affinity or immunoaffinity chromatographic methods. However, neither of these techniques may be entirely suitable for large scale production of vaccines under all circumstances. In small animal protection models (hamsters and cotton rats), immunization with the glycoproteins was demonstrated to prevent infection with live PIV-3 (refs. 25, 26, 27, 28, 29).

25

30

;11-13-98 ; 3:36PM ;

The HN and F glycoproteins of PIV-3 have also been produced using recombinant DNA technology. glycoproteins have been produced in insect cells using the baculovirus expression system and by use of vaccinia virus and adenovirus recombinants (refs. 30, 31, 32, 33, 34). In the baculovirus expression system, both fulllength and truncated forms of the PIV-3 glycoproteins as well as a chimeric F-HN fusion protein have been The recombinant proteins have been demonstrated to be protective in small animal models 10 (see WO91/00104, US Application No. 07/773,949 filed November 29, 1991, assigned to the assignee hereof).

Semliki Forest virus (SFV) is a member of the Alphavirus genus in the Togaviridae family. The mature virus particle contains a single copy of a ssRNA genome 15 with a positive polarity that is 5'-capped and 3'polyadenylated. It functions as an mRNA and naked RNA can start an infection when introduced into cells. Upon infection/transfection, the 5' two-thirds of the genome is translated into a polyprotein that is processed into the four nonstructural proteins (nsPl to 4) by self cleavage. Once the ns proteins have been synthesized they are responsible for replicating the plus-strand (42S) genome into full-length minus strands (ref. 14). These minus-strands then serve as templates for the synthesis of new plus-strand (42S) genomes and the 26S subgenomic mRNA (ref. 14). This subgenomic mRNA, which is colinear with the last one-third of the genome, encodes the SFV structural proteins.

In 1991 Liljestrom and Garoff (ref. 15) designed a series of expression vectors based on the SFV cDNA

15

20

25

SIMBAS→

These vectors had the virus structural protein genes deleted to make the way for heterologous inserts, but preserved the nonstructural coding region for production of the nsPl to 4 replicase complex.

5 Short 5' and 3' sequence elements required for RNA replication were also preserved. A polylinker site was inserted downstream from the 26S promoter followed by translation stop sites in all three frames. site was inserted just after the 3' end of the SFV cDNA for linearization of the plasmid for use in vitro transcription reactions.

Injection of SFV RNA encoding a heterologous protein have been shown to result in the expression of the foreign protein and the induction of antibody in a number of studies (refs. 16,17). The use of SFV RNA inoculation to express foreign proteins for the purpose of immunization would have several of the advantages associated with plasmid DNA immunization. For example, SFV RNA encoding a viral antigen may be introduced in the presence of antibody to that virus without a loss in potency due to neutralization by antibodies to the Also, because the protein is expressed in vivo the protein should have the same conformation as the protein expressed by the virus itself. concerns about conformational changes which could occur during protein purification leading to a loss in immunogenicity, protective epitopes and possibly immunopotentiation, could be avoided by plasmid DNA immunization.

30 In copending US Patent Application No. 08/476,397 filed June 7, 1995, assigned to the assignee hereof and DELEGIES 11150

10

20

25

30

7

SIMBAS→

the disclosure of which is incorporated herein by reference (WO96/040945), there is described reference the use of plasmid vectors containing RSV F proteinencoding DNA for DNA immunization against RSV infection. In copending United States Patent Application No. 08/896,500 filed July 18, 1997, assigned to the assignee hereof and the disclosure of which is incorporated herein by reference, there is described the use of plasmid vectors containing RSV G protein-encoding DNA for DNA immunization against RSV infection.

In my copending United States Patent Application No. 08/923,558, filed September 4, 1997, assigned to the assignee hereof and the disclosure of which incorporated by reference, I describe a DNA vector using an alphavirus vector, including Semliki Forest virus 15 containing a DNA sequence encoding paramyxovirus protein, specifically RSV-F, for making an RNA transcript for immunization.

WO95/27044, disclosure the СĒ which incorporated herein by reference, there is described the alphavirus cDNA vectors based on cDNA complementary to the alphavirus RNA sequence. transcribed from the cDNA under transcriptional control of a heterologous promoter, the alphavirus RNA is able to self-replicate by means of its own replicase and thereby amplify the copy number of the transcribed recombinant RNA molecules.

Infection with RSV leads to serious disease. would be useful and desirable to provide improved vectors for in vivo administration of immunogenic preparations, including vaccines, for protection against

5

10

D919CF46 111398

disease caused by RSV and other paramyxoviruses. particular, it would be desirable to provide vaccines that are immunogenic and protective in humans, including seronegative infants, that do not cause disease enhancement (immunopotentiation).

SUMMARY OF THE INVENTION

The present invention provides novel immunogenic materials and immunization procedures based on such novel materials for immunizing against disease caused by respiratory syncytial virus. In particular, the present invention is directed towards the provision of DNA vaccines against disease caused by infection with paramyxoviridae.

In accordance with one aspect of the present invention, there is provided a vector, comprising a 15 first DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complement of complete alphavirus RNA replication regions to permit in vivo replication; a second DNA sequence encoding a paramyxovirus protein or 20 a protein fragment that generates antibodies that specifically react with the paramyxovirus protein, the second DNA sequence being inserted into a region of the DNA sequence which is non-essential 25 replication; the first and second DNA sequences being under transcriptional control of a promoter; and a third DNA sequence located adjacent the second DNA sequence to enhance the immunoprotective ability of the paramyxovirus protein when expressed in vivo from the vector in a host. 30

5

10

15

20

25

30

9

The paramyxovirus protein may be selected from the group consisting of a parainfluenza virus (PIV) and a respiratory syncytial virus (RSV). The PIV protein may be from PIV-1, PIV-2, PIV-3 or PIV-4, particularly the HN and F-glycoproteins of PIV-3. The RSV protein particularly may be the F or G-glycoprotein of RSV.

The second DNA sequence may encode a full length RSV F protein, or may encode a RSV F protein lacking the transmembrane anchor and cytoplasmic tail. The lack of the coding region for the transmembrane anchor and cytoplasmic tail results in a secreted form of the RSV F protein. Alternatively, as described in the aforementioned U.S. Patent Application 08/896,500, the second DNA sequence may encode the full-length RSV-G protein or a truncated RSV G protein lacking a transmembrane region, resulting in a secreted form of the protein.

The alphavirus preferably is a Semliki Forest virus and the first DNA sequence is the Semliki Forest viral sequence contained in plasmid pSFVI.

The third nucleotide sequence may comprise a pair of splice sites to prevent aberrant mRNA splicing, in vivo, whereby substantially all transcribed mRNA from the vector upon administration encodes the RSV protein. Such third nucleotide sequence is preferably located between the first nucleotide sequence and the promoter sequence. Such third nucleotide sequence may be that of rabbit β -globin intron II, as shown in Figure 8 of copending U.S. Patent Application No. 08/476,397 (WO 96/040945).

15

20

30

10

SIMBAS→

The promoter sequence may be an immediate early cytomegalovirus (CMV) promoter. The human cytomegalovirus Intron A sequence may be provided downstream of the promoter and upstream of the third nucleotide sequence.

A vector encoding the F protein and provided in accordance with one embodiment of the invention may specifically pMP44. having the identifying characteristics shown in Figure 1D.

The vectors provided herein may be used to immunize a host against RSV infection or disease by in vivo expression of RSV F protein or RSV G protein, which may lack a transmembrane region, or other paramyxovirus protein, following administration of the vectors. accordance with a further aspect of the present invention, therefore, there is provided a method of immunizing a host against disease caused by infection with respiratory syncytial virus or other paramyxovirus, which comprises administering to the host an effective amount of a vector provided herein.

The present invention also includes a novel method of using a gene encoding an RSV F or G protein or a fragment of an RSV or G protein capable of generating antibodies which specifically react with RSV F or G protein to protect a host against disease caused by infection with respiratory syncytial virus, which comprises isolating the gene; operatively linking said gene to a DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complement of complete alphavirus RNA genome replication regions in a region of said DNA sequence which is non-

20

25

30

11

SIMBAS→

essential for replication to form a vector wherein said gene and DNA sequence are under transcriptional control of a promoter; operatively linking the gene to immunoprotection enhancing sequence to produce enhanced immunoprotection by the RSV F or G protein in the host, preferably by introducing the immunoprotection enhancing sequence between the control sequence and the alphavirus sequence; and introducing the vector into the A corresponding procedure may be used for other paramyxoviridae.

In addition, the present invention includes a method of producing a vaccine for protection of a host against disease caused by infection with respiratory syncytial virus (RSV), which comprises isolating a first DNA sequence encoding an RSV or G protein, from which 15 the transmembrane anchor and cytoplasmic tail may be absent; operatively linking said first DNA sequence to a second DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complete alphavirus genome replication regions in a region of said second DNA sequence which is non-essential for replication to form a vector wherein said first and second DNA sequences are under transcriptional control of a promoter; operatively linking the first nucleotide sequence to a third nucleotide sequence to enhance the immunoprotective ability of the RSV F or G protein when expressed in vivo from the vector in a host; formulating the vector as a vaccine for in vivo administration. A corresponding procedure may be used for other paramyxoviridae.

1.2

SIMBAS→

The present invention further includes a vaccine for administration to a host, including a human host, produced by the method as well as immunogenic compositions comprising an immunoeffective amount of the vectors described herein.

BRIEF DESCRIPTION OF DRAWINGS

Figures 1A to 1B show a schematic of a procedure of assembly of vector pMP44;

Figures 2A to 2B show a schematic of a procedure of assembly of vector pMP44; 10

Figures 3A to 3E contain the nucleotide sequence of plasmid pMP44 (SEQ ID NO:1);

Figure 4 shows the anti-RSV F titres in sera from mice taken 4 weeks after priming and 2 weeks after 15 boosting;

Figure 5 shows the nucleotide sequence for a synthetic oligonucleotide coding for the hepatitis delta ribozyme (SEQ ID no; 2,3); and

Figures 6A to 6C show the nucleotide sequence for 20 the SFV EcoRV-SpeI fragment ligated to the ribozyme of Figure 5 (SEQ ID no: 4).

13 GENERAL DESCRIPTION OF INVENTION

SIMBAS→

As described above, the present invention, in general, relates to protection of hosts against disease caused by infection by paramyxovirus by DNA immunization using DNA vectors. In particular, the invention is concerned with protection of hosts against disease caused by infection by respiratory syncytial virus (RSV), although not specifically limited thereto. The description which follows refers specifically to employing DNA sequences encoding RSV F or G protein and fragments thereof which generate antibodies which specifically react with RSV F or G protein.

In this application, the terms "RSV F protein" and "RSV G protein" are used to define a full-length RSV F 15 or G protein, including proteins having variations in their amino acid sequences including those naturally occurring in various strain of RSV and those introduced PCR amplification of the encoding gene while retaining the immunogenic properties, a secreted form of the RSV F or G protein lacking a transmembrane anchor 20 and cytoplasmic tail, as well as fragments capable of generating antibodies which specifically react with RSV F or G protein and functional analogs. application, a first protein is a "functional analog" of 25 a second protein if the first protein is immunologically related to and/or has the same function as the second protein. The functional analog may be, for example, a fragment of the protein or a substitution, addition or deletion mutant thereof.

A vector is constructed to contain a first DNA sequence which is complementary to at least part of an

1.0

15

14

alphavirus RNA genome, specifically Semliki Forest virus, and having the complement of complete alphavirus RNA genome replication regions to permit replication in vivo. A second DNA sequence encoding the RSV F or G protein is inserted into a region of the first DNA sequence which is non-essential for replication. The first and second DNA sequences are under transcriptional control of a promoter to permit expression of the RSV protein in a host immunized with the vector.

The promoter sequence may be the immediately early cytomegalovirus (CMV) promoter. This promoter is described in ref. 36. Any other convenient promoter may be used, including constitutive promoters, such as, Rous Sarcoma Virus LTRs, and inducible promoters, such as metallothionine promoter, and tissue specific promoters.

The recombinant vector may include a third nucleotide sequence located adjacent the alphavirus sequence to enhance the immunoprotective ability of the RSV F or G protein when expressed in vivo in a host.

- 20 Such enhancement may be provided by increased in vivo expression, for example, by increased mRNA stability, enhanced transcription and/or translation. This additional sequence preferably is located between the promoter sequence and the alphavirus sequence.
- This enhancement sequence may comprise a pair of splice sites to prevent aberrant mRNA splicing during transcription so that substantially all transcribed mRNA is intact alphavirus RNA encoding a gene of interest, for example, an RSV F protein. Specifically, rabbit β -30 globin Intron II sequence may provide such splice sites, as also described in ref. 37.

15

30

15

Additional enhancement may be obtained by, including an additional DNA sequence between promoter and the enhancer sequence. Such additional DNA may the immediate sequence comprise early cytomegalovirus Intron A sequence.

The vectors provided herein, when administered to an animal, effect in vivo RSV F protein expression, as demonstrated by an antibody response in the animal to which it is administered and the conferring of protection. As may be seen from the results detailed in the Examples below, the DNA vectors produced a high anti-F IgG antibody titre and confer protection.

In comparison to the vectors described in the aforementioned U.S. Patent Application nos.08/476,397 and 08/896,500, the vectors described herein provide a protective immune response using a lower dose and less time. In comparison to the vectors described in the aforementioned U.S. Patent Application nos. 08/923,558, 08/896,550 and 08/476,397 using native RSV F. 20 vectors described herein produce protective response in the absence of pretreatment of the animal model with cardiotoxin, a material known to increase the uptake of DNA and enhance the immune response.

The vector provided herein may also comprise a fourth nucleotide sequence encoding a further antigen from RSV, an antigen from at least one other pathogen or at least one immunomodulating agent, such as cytokine. Such vector may contain said fourth nucleotide sequence in a chimeric or a bicistronic structure. Alternatively, vectors containing the fourth nucleotide sequence may be

10

SENT BY:SIMBAS

16

separately constructed and coadministered to a host, with the DNA vector provided herein.

In addition, there may be provided at the 3'-end of the Simliki Forest virus segment, a hepatitis delta virus ribosyme sequence to ensure proper in vivo cleavage at the 3'-end of the Simliki Forest virus sequence. Any other convenient sequence may be employed to achieve this effect.

It is clearly apparent to one skilled in the art, that the various embodiments of the present invention have many applications in the fields of vaccination, diagnosis and treatment of RSV infections. non-limiting discussion of such uses is further presented below.

15 Vaccine Preparation and Use

Immunogenic compositions, suitable to be used as vaccines, may be prepared from the RSV F or RSV G genes and other paramyxovirus genes and vectors as disclosed The vaccine elicits an immune response in a subject which includes the production of anti-F or anti-20 G antibodies. Immunogenic compositions, vaccines, containing the DNA vector may be prepared as injectables, in physiologically-acceptable solutions oremulsions for polynucleotide administration. The nucleic acid may be associated with 25 liposomes, such as lecithin liposomes or other liposomes known in the art, as a nucleic acid liposome (for example, as described in WO 93/24640, ref. 38) or the DNA vector may be associated with an adjuvant, as described in more detail below. Liposomes comprising 30 cationic lipids interact spontaneously and rapidly with

15

20

SENT BY: SIMBAS

17

SIMBAS→

polyanions such as DNA and RNA, resulting liposome/nucleic acid complexes that capture up to 100% of the polynucleotide. In addition, the polycationic complexes fuse with cell membranes, resulting in an intracellular delivery of polynucleotide that bypasses the degradative enzymes of the lysosomal compartment. Published PCT application WO 94/27435 describes compositions for genetic immunization comprising cationic lipids and polynucleotides. Agents which assist in the cellular uptake of nucleic acid, such as calcium ions, viral proteins and other transfection facilitating agents, may advantageously be used.

Polynucleotide immunogenic preparations may also be formulated as microcapsules, including biodegradable time-release particles. Thus, U.S. Patent 5,151,264 describes a particulate carrier of phospholipid/glycolipid/polysaccharide nature that has been termed Bio Vecteurs Supra Moléculaires (BVSM). The particulate carriers are intended to transport a variety of molecules having biological activity in one of the layers thereof.

U.S. Patent 5,075,109 describes encapsulation of the antigens trinitrophenylated keyhole hemocyanin and scaphylococcal enterotoxin B in 50:50 25 (DL-lactideco-glycolide). Other polymers for , encapsulation are suggested, such as poly(glycolide), poly(DL-lactide-co-glycolide), copolyoxalates, polycaprolactone. poly(lactide-co-caprolactone), poly(esteramides), polyorthoesters and 30 hydroxybutyric acid), and polyanhydrides.

25

30

18

SIMBAS→

Published PCT application WO 91/06282 describes a delivery vehicle comprising a plurality of bioadhesive microspheres and antigens. The microspheres being of starch, gelatin, dextran, collagen or albumin. delivery vehicle is particularly intended for the uptake of vaccine across the nasal mucosa. The delivery vehicle may additionally contain an absorption enhancer.

The RSV F or G genes and vectors may be mixed with pharmaceutically acceptable excipients which 10 compatible therewith. Such excipients may include, water. saline, dextrose, glycerol, ethanol, combinations thereof. The immunogenic compositions and vaccines may further contain auxiliary substances, such as wetting or emulsifying agents, pH buffering agents, 15 or adjuvants to enhance the effectiveness thereof. Immunogenic compositions and vaccines administered parenterally, by injection subcutaneously, intravenously, intradermally orintramuscularly, possibly following pretreatment of the injection site with local anaesthetic. Alternatively, immunogenic compositions formed according to the present invention, may be formulated and delivered in a manner to evoke an immune response at mucosal surfaces. Thus, the immunogenic composition may be administered to musosal surfaces by, for example, the masal or oral (intragastric) routes. Alternatively, other modes of administration including suppositories and formulations may be desirable. For suppositories, binders and carriers may include, for example, polyalkalene glycols triglycerides. orOral formulations may include normally employed incipients,

. . . .

19

SIMBA5→

such as, for example, pharmaceutical grades of saccharine, cellulose and magnesium carbonate.

The immunogenic preparations and vaccines are administered in a manner compatible with the dosage formulation, and in such amount as will be therapeutically effective, protective and immunogenic. The quantity to be administered depends on the subject to be treated, including, for example, the capacity of the individual's immune system to synthesize the RSV F protein and antibodies thereto, and if needed, to 10 produce a cell-mediated immune response. Precise amounts of active ingredient required to be administered depend on the judgment of the practitioner. suitable dosage ranges are readily determinable by one 15 skilled in the art and may be of the order of about 1 µq to about 1 mg of the RSV F or G genes and vectors. Suitable regimes for initial administration and booster doses are also variable, but may include an initial administration followed by subsequent administrations. 20 dosage may also depend on the route administration and will vary according to the size of A vaccine which protects against only one pathogen is a monovalent vaccine. Vaccines which contain antigenic material of several pathogens are 25 compined vaccines and also belong to the present invention. Such combined vaccines contain, for example, material from various pathogens or from various strains of the same pathogen, or from combinations of various pathogens.

In particular embodiments of the present invention, the vector comprising a first nucleotide sequence

* 11 NO.

10

15

20

25

30

SENT BY:SIMBAS

20

SIMBAS→

encoding an F or G protein of RSV may be delivered in conjunction with a targeting molecule to target the vector to selected cells including cells of the immune system.

The DNA vectors may be delivered to the host by a variety of procedures, for example, Tang et al. (ref. 39) disclosed that introduction of gold microprojectiles coated with DNA encoding bovine growth hormone (BGH) into the skin of mice resulted in production of anti-BGH antibodies in the mice, while Furth et al. (ref. 40) showed that a jet injector could be used to transfect skin, muscle, fat and mammary tissues of living animals.

2. Immunoassays

The RSV F or G genes and vectors of the present invention are useful as immunogens for the generation of anti-F or anti-G antibodies for use in immunoassays, including enzyme-linked immunosorbent assays (ELISA), RIAs and other non-enzyme linked antibody binding assays or procedures known in the art. In ELISA assays, the vector first is administered to a host to generate antibodies specific to the RSV F or G protein or other paramyxovirus protein. These RSV F- or G-specific antibodies are immobilized onto a selected surface, for example, a surface capable of binding the antibodies, such as the wells of a polystyrene microtiter plate. washing to remove incompletely adsorbed antibodies, a nonspecific protein such as a solution of bovine serum albumin (BSA) that is known to be antigenically neutral with regard to the test sample may be bound to the selected surface. This allows for blocking of nonspecific adsorption sites

e e e de la fait de la

10

15

20

25

;11-13-98 : 3:45PM ;

21

immobilizing surface and thus reduces the background caused by nonspecific bindings of antisera onto the surface.

The immobilizing surface is then contacted with a sample, such as clinical or biological materials, to be tested in a manner conducive to immune (antigen/antibody) formation. This procedure include diluting the sample with diluents, such as solutions of BSA, bovine gamma globulin (BGG) and/or phosphate buffered saline (PBS)/Tween. The sample is then allowed to incubate for from about 2 to 4 hours, at temperatures such as of the order of about 20° to 37°C. Following incubation, the sample-contacted surface is washed to remove non-immunocomplexed material. washing procedure may include washing with a solution, such as PBS/Tween or a borate buffer. formation of specific immunocomplexes between the test sample and the bound RSV F specific antibodies, and subsequent washing, the occurrence, and even amount, of immunocomplex formation may be determined.

Biological Deposits

Certain vectors that contain the gene encoding R8V F protein and referred to herein have been deposited with the American Type Culture Collection (ATCC) located at 10801 University Boulevard, Manassas, VA 20110-2209, U.S.A., pursuant to the Budapest Treaty and prior to the filing of this application.

Samples of the deposited plasmids will become available to the public upon grant of a patent based upon this United States patent application and all restrictions on access to the deposits will be removed

SENT BY:SIMBAS

22

SIMBAS→

at that time. Non-viable deposits will be replaced. The invention described and claimed herein is not to be limited in scope by plasmids deposited, since the deposited embodiment is intended only as an illustration 5 of the invention. Any equivalent or similar plasmids that encode similar or equivalent antigens as described in this application are within the scope of this invention.

Deposit Summary

Plasmid ATCC Designation Date Deposited 10 pMP37 97905 Feb. 27, 1997 pMP42

EXAMPLES

The above disclosure generally describes the present invention. A more complete understanding can 15 be obtained by reference to the following specific Examples. These Examples are described solely for purposes of illustration and are not intended to limit the scope of the invention. Changes in form and substitution of equivalents are contemplated circumstances may suggest or render expedient. Although specific terms have been employed herein, such terms are intended in a descriptive sense and not for purposes of limitations.

Methods of molecular genetics, 25 biochemistry and immunology used but not explicitly described in this disclosure and these Examples are amply reported in the scientific literature and are well within the ability of those skilled in the art.

20

23

EXAMPLE 1

;11-13-98 ; 3:45PM ;

This Example describes a scheme for construction of a Semliki Forest Virus (SFV) DNA expression vector containing a truncated RSV F gene as outlined in Figures 1A to 1B.

Plasmid VR1012 was restricted with PstI and then made blunt-ended with T4 DNA polymerase. The ß-globin Intron II was exised out of vector pSG5 (Stratagene) and ligated into plasmid VR1012 to generate plasmid 10 pIIE. Plasmid pIIE was then restricted with SalI and EcoRV and ligated to a PCR fragment having the nucleotide sequence:

TCGACATGGCGGATGTGTGACATACACGACGCCAAAAGATTTTGTTCCAGCT

CCTGCCACCTCCGCTACGCGAGAGATTAACCACCCACGATGGCCGCCAAAGT
GCATGTTGATATTGAGGCTGACAGCCCATTCATCAAGTCTTTGCAGAAGGCA
TTTCCGTCGTTCGAGGTGGAGTCATTGCAGGTCACACAAATCACCATGCAA
ATGCCAGAGCATTTTCGCACCTGGCTACCAAATTGATCGAGCAGGAGAGACTGA
CAAAGACACACTCATCTTGGAT (SEQ ID no: 7) generated from
pSFVI with primers SAL-SFV having the nucleotide
sequence 5'-TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no:
5) and ECO-SFV having the nucleotide sequence 5'TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no: 6). The
resulting plasmid pMP38 was then restricted with EcoRV
and BamHI and then dephosphorylated. Plasmid pSFV1
link (see copending application no. _______ (b/o

EcoRV/BamH1 restricted pMP38 to produce pMP41.

20

25

30

24

Example 2

This Example describes an alternative scheme for constructing plasmid pMp44 as outlined in Figure 2.

Plasmid VR1012 was restricted with PstI and then
made blunt-ended with T4 DNA polymerase. The S-globin
Intron II was exised out of vector pSG5 (Stratagene)
and ligated into plasmid VR1012 to generate plasmid
pIIE. Plasmid pIIE was then restricted with SalI and
EcoRV and ligated to a PCR fragment having the
nucleotide sequence:

TCGACATGGCGGATGTGTGACATACACGACGCCAAAAGATTTTGTTCCAGCT CCTGCCACCTCCGCTACGCGAGAGATTAACCACCCACGATGGCCGCCAAAGT GCATGTTGATATTGAGGCTGACAGCCCATTCATCAAGTCTTTGCAGAAGGCA TTTCCGTCGTTCGAGGTGGAGTCATTGCAGGTCACACCAAATGACCATGCAA

ATGCCAGAGCATTTTCGCACCTGGCTACCAAATTGATCGAGCAGGAGACTGA

CARAGACACTCATCTTGGAT (SEQ ID no: 7) generated from pSFVI with primers SAL-SFV having the nucleotide sequence 5'-TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no: 5) and ECO-SFV having the nucleotide sequence 5'-TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no: 6). The resulting plasmid pMP38 was then restricted with EcoRV and BamHI and then dephosphorylated. Plasmid pSFV1 link (see copending application no. (b/o 1038-766)) was then restricted with SpeI and ligated to the hepatitis delta ribozyme (Fig. 5, SEQ ID nos: 2 and 3).

The ligation reaction product was then restricted with EcoRV to release the SFV replicon plus the ribozyme having the nucleotide sequence as outlines in Figures 6A to 6C. This fragment was then ligated to the EcoRV/BamHI restricted pMP38 to produce pMP42. The

DUISIEUE IIIISS

25

;11-13-98 ; 3:46PM ;

RSV F gene fragment was released from pMP37 by restriction with BamHI, and this fragment was ligated into the BamHI site of pMP42 to produce pMP44. nucleotide sequence of pMP44 is shown in Figures 3A to 3E.

EXAMPLE 3

5

This Example describes the immunization of mice with pMP44 and the immunogenicity results obtained.

BALB/C mice were immunized with plasmid pMP44 by 10 the intramuscular (i.m.) route. The anterior tibialts muscles of six BALB/C mice were bilaterally injected with 2 x 100 µg of plasmid pMP44. This amount is equivalent to approximately $94\mu g$ of a conventional vector, based on copy number. These mice were boosted 15 in an identical manner 4 weeks later. The control group was immunized with 2 x 25 µg of SFV-RSV F RNA as described in my aforementioned United Application No. 08/923,558, except that the muscles not pre-treated with cardiotoxin. immunization protocol is set forth in the following 20 Table I:

Table 1 Immunization protocol

Group Prime Route of Boost Route of Inoculation Inoculation

- 25 SFV-RSVF RNA' Intramuscular SFV-RSVF RNA' Intramuscular pMP44 DNA2 Intramuscular pMP44DNA2 Intramuscular Mice were inoculated with:
 - 25µg of RNA was injected into each hind leg muscle in 50 µL of PBS
- 100 μg of DNA was injected into each hind leg 30 muscle in 50 µL of PBS

10

26

Sera was obtained from the mice at 4 and 6 weeks. Anti-RSV F antibody titres (IgG) in these sera were determined by enzyme-linked immunosorbent (ELISA), as described in Example 3.

5 The anti-RSV F IgG antibody response in the sera of the BALB/C mice are summarized in Figure 4. mice immunized with the DNA construct, pMP44, had higher anti-F titres than the mice immunized with the SFV-RSV F RNA.

Two weeks after the second immunization, mice were challenged intranasally with 10° plaque forming units (pfu) of the Al strain of RSV (BG-4A). Animals were sacrificed 4 days later. Lungs were asceptically removed, weighed, and homogenized in 2 mL of complete culture medium. The virus titre in lung homogenates 15 was determined in duplicate using vero cells, as previously described (ref. 41).

As seen in Table 2 below, immunization of mice with pMP44 DNA protected mice (5/6) against live RSV 20 challenge, in contrast to the lack of protection when immunization with SFV-RSV F RNA was effected. This result contrasts with the complete protection which is obtained using SFV-RSV F RNA as described in U.S. Patent Application Nos. 08/923,558, 08/476,397 and 08/896,500 where the results show protection after 25 pretreatment with cardiotoxin.

Table 2

30

Group	Immunogen		Mean Virus Lung	Titre
	Frime	Boost	(log10/g±s.d) %	Protection
1	SFV-RSVF RNA	SFV-RSVF RNA	4.26	0
2	pMP44 DNA	pMP44DNA	2.12*	83

25

27

* Limit of detection = 1.8

EXAMPLE 4

This Example describes the determination of anti-5 RSV F antibody titres.

Nunc-MaxiSorp plate wells were coated overnight at room temperature with 2.5 ng of immunoaffinity-purified RSV F protein diluted in 0.05M carbonate-bicarbonate buffer, pH 9.6. Wells were blocked for non-specific binding by adding 0.1% BSA in PBS for 30 min. at room temperature, followed by two washes in a washing buffer of 0.1% BSA in PBS + 0.1% Tween 20. Serial two or four-fold dilutions of mouse serum was added to the After a one hour incubation at room temperature, plates were washed five times with washing buffer, and horseradish peroxidase (HRP) labeled conjugate was added at the appropriate optimal dilution in washing buffer. The total IgG assay used F(ab'), goat antimouse IgG (H+L specific) - HRP from Jackson Immuno Research Laboratory Inc. (Baltimore, MD, USA). Sheep anti-mouse IgG1-HRP from Serotec (Toronto, Ontario, Canada) was used in the IgG1 assay and goat anti-mouse IgG2a from Caltag Laboratories Francisco, CA, USA) was used in the IgG2a assay. Following one hour incubation at room temperature, the plates were washed five times with washing buffer, and hydrogen peroxide (substrate) in the presence of tetramethylbenzidine was added. The reaction was stopped by adding 2 M sulfuric acid. The colour was read in a Multiscan Titertek plate reader at an optical density (OD) of 450 nm. The titre was taken as the reciprocal of the last dilution at which the OD was

28

approximately double. This OD must be greater than the negative control of the assay at the starting dilution. The pre-immune serum of each animal was used as the negative control.

SUMMARY OF THE DISCLOSURE

In summary of this disclosure, the present invention provides certain novel alphavirus derived DNA vectors containing genes encoding RSV F or RSV G proteins, or other paramyxovirus proteins, methods of immunization using such vectors and methods of diagnosis using such vectors. Modifications are possible within the scope of this invention.

29 REFERENCES

SIMBAS→

- McIntosh K. and Chanock R.M. in Fields B.N. and Knipe D.M. (eds). Virology. Raven Press, New York, 1990, pp.1045-1072.
 - Murphy B.R., Hall S.L., Kulkarni A.B., Crowe J.E., Collins P.L., Connors M., Karron R.A. and Chanock R.M., Virus Res 32, 13-36, 1994.
- 10 3. Osterweil D. and Norman D., Am Geriat Soc 36, 659-662, 1990.
- 4. Agius G., Dindinand G., Biggar R.J., Peyre R.,
 Vaillant V., Ranger S., Poupet: J.Y., Cisse M.F. and
 Casters M., J Med Virol 30, 117-127, 1990.
- 5. Katz S.L. in New vaccine development establishing priorities Vol 1. National Academic Press, Washington, 1985, pp. 3974 09.
 - Wertz G.W. and Sullender W.M., Biotechnology 20, 151-176, 1992 .
- Fulginiti V.A., Eller J.J., Sieber O.F., Joyner J.W., Minamitani M. and Meiklejohn G., Am i Epidemiol 89, 449-463, 1969.
- 8. Chin J., Magoffin R.L., Shearer I.A., Schieble J.H.
 30 and Lennette E.H., Am J Epidemiol 89, 449-463,
 1969.
 - Belshe R.B., Van Voris L.P. and Mufson M.A., J Infect Dis 145, 311-319, 1982.
 - Kim R.M., Arrobio J.O., Pyles G., Brandt C.D., Camargo E., Chanock R.M. and Parrott R.H., Pediatrics 48, 745-755, 1971.
- 40 11. Gruber C. and Levine S., J Gen Virol 64, 825-832, 1983.
 - Olmstead R.A., Elango N. and Prince G.A., Proc Natl Acad Sci USA 83, 7462-7466, 1991.

45

35

20

30

SIMBAS→

- 13. Parrington M., Cockle S., Wyde P., Du R.-P., Snell
 E., Yan W.-Y., Wang Q., Gisonni L., Sanhueza S.,
 Ewasyshyn M. and Klein M., Virus Genes 14, 65-74,
 1997
- 14. Fulginiti, V.A., Eller, J.J., Sieber, O.F., Joyner,
 J.W., Minamitani, M. and Meiklejohn, G. (1969)
 Am. J. Epidemiol. 89 (4), 435-448.
- 10 15. Chin, J., Magoffin, R.L., Shearer, L.A., Schieble, J.H. and Lennette, E.H. (1969) Am. J. Epidemiol. 89 (4), 449-463.
- 16. Jensen, K.E., Peeler, B.E. and Dulworth, W.G. (1962) J. Immunol. 89, 216-226.
 - Murphy, B.R., Prince, G.A., Collins, P.L., Van Wyke -Coelingh, K., Olmsted, R.A., Spriggs, M.K., Parrott, R.H., Kim, H.-Y., Brandt, C.D. and Chanock, R.M. (1988) Vir. Res. 11, 1-15.
 - Hall, S.L., Sarris, C.M., Tierney, E.L., London, W.T., and Murphy, B.R. (1993) J. Infect. Dis. 167, 958-962.
- 25
 19. Belshe, R.B., Karron, R.A., Newman, F.K., Anderson,
 E.L., Nugent, S.L., Steinhoff, M., Clements, M.L.,
 Wilson, M.H., Hall, S.L., Tierney, E.L. and Murphy,
 B.R. (1992) J. Clin. Microbiol. 30 (8), 2064-2070.
- 30 20. Hall, S.L., Stokes, A., Tierney, E.L., London, W.T., Belshe, R.B., Newman, F.C. and Murphy, B.R. (1992) Vir. Res. 22, 173-184.
- 35 21. Van Wyke Coelingh, K.L., Winter, C.C., Tierney, E.L., London, W.T. and Murphy, B.R. (1988) J. Infect. Dis. 157 (4), 655-662.
- Ray, R., Novak, M., Duncan, J.D., Matsuoka, Y. and
 Compans, R.W. (1993) J. Infect. Dis. 167, 752-755.
 - 23. Kay, R., Brown, V.E. and Compans, R.W. (1985) J. Infect. Dis. 152 (6), 1219-1230.

1

45 24. Ray, R. and Compans, R.W. (1987) J. Gen. Virol. 68, 409-418. Ü

10

31


- Ray, R., Glaze, B.J., Moldoveanu, Z. and Compans,
 R.W. (1988) J. Infect. Dis. 157 (4), 648-654.
- Ray, R., Matsuoka, Y., Burnett, T.L., Glaze, B.J.
 and Compans, R.W. (1990) J. Infect. Dis. 162, 746-749.
 - Ray, R., Glaze, B.J. and Compans, R.W. (1988) J. Virol. 62 (3), 783-787.
 - 28. Ewasyshyn, M., Caplan, B., Bonneau A.-M., Scollard, N., Graham, S., Usman, S. and Klein, M. (1992) Vaccine 10 (6), 412-420.
- 15 29. Ambrose, M.W., Wyde, P.R., Ewasyshyn, M., Bonneau, A.-M., Caplan, B., Meyer, H.L. and Klein, M. (1991) Vaccine 9, 505-511.
- 30. Kasel, J.A., Frank, A.L., Keitel, W.H., Taber, L.H., Glezen W.P. J. Virol. 1984; 52:828-32.
 - Lehman, D.J., Roof, L.L., Brideau, R.J., Aeed, P.A., Thomsen, D.R., Elhammer, A.P., Wathen, M.W. and Homa, F.L. (1993) J. Gen. Virol. 74, 459-469.
- 32. Brideau, R.J., Oien, N.L., Lehman, D.J., Homa, F.L. and Wathen, M.W. (1993) J. Gen. Virol. 74, 471-477.
- 30 33. Ebata, S.N., Prevec, L., Graham, F.L. and Dimock, K. (1992) Vir. Res. 24, 21-33.
 - 34. Hall, S.L., Murphy, B.R. and Van Wyke Coelingh, K.L. (1991) Vaccine 9, 659-667.
- 35. Strauss E.G. and Strauss J.H., in Schlesinger S.S. and Schlesinger M.i. (eds). The Togaviridae and Flaviviridae.

 Plenum Press, New York, 1986, pp.35-90.
- 40
 36. Chapman, B.S.; Thayer, R.M.; Vincent, K.A. and Haigwood, N.L., Nucl. Acids. Res. 1991, 19: 3979-3986.
- 45 37. Breathnack, R. and Harris, B.A., Nucl. Acids Res. 1983, 11: 7119-7136

SIMBAS→

- Nabel, G.J. 1993, Proc. Natl. Acad. Sci. USA 90: 11307-11311.
- 5 39. Tang et al., Nature 1992, 356: 152-154
 - 40. Furth et al. Analytical Biochemistry, 1992, 205: 365-368
- 41. Prince, G.A. et al, Am. J. Pathol. 93, 771 to 790, 10 1978.

1/16




fields 10

BEETTE " STREETED

Fig 1 B

Į

3/16



+ Ban HI fragmail from pM127

Links

L

FIX 10

19190245.111598






FIG 10

Figure 1 Construction of pMP44



fia. 24

DAISOPHE . 111198



;11-13-98 ; 3:52PM ;

94,20

1:1

SIMBAS→



attitogoac ciggotacca aattgatoga goaggagact gacaaagaca cactoatett 2820 ggstatoggc agtgegeett ccaggagaat gatgtetacg cacaastace actgegtatg 2880 scottatycge agogeagaag accecgaaag getegatage tacgeaaaga aactggeage 2940 ggoeteeggg aaggtgetgg atagagagat egeaggaaaa ateacegace tgeagacegt 3000 catggetacg ccagacgetg aatotectac ettitgeetg catacagacg teacgtgteg 3060 tacqqcagec gaagtggccg tataccagga cgtgtatgct gtacatgcac caacatcgct 3120 gtaccatoag gcgatgaaag gtgtcagaac ggcgtattgg attgggttg acaccacccc 3180 gtttatgttt gacgcgctag caggcgcgta tccaacctac gccacaaact gggccgacga 3240

SIMBAS→

8/16

qcaqqtqtta caqqccaqqa acataqqact qtqtqcaqca tccttqactq aqqqaaqact 3300 oggoamactg tocattotoc gommagaagom attgamacot tgogacacag testgttoto 3360 cotaggatet acattetaca etgagageag aaagetactg aggagetgge acttaccete 3420 ogtattocac otgazaggta ascastcott tacotgtagg tgogatacca togtatoatg 3480 tqaagggtac gtagttaaga aaatcactat gtgccccggc ctgtacggta aaacggtagg 3540 gtacgoogtg acgtatoacg cggagggatt cotagtgtgc aagaccacag acactgtcaa 3600 aggagaaaga gtotoattoo otgtatgoac otacgtooco toascoatot gtgatoasat 3660 gactggcata ctagcgaccg acgtcacacc ggaggacgca cagaagttgt tagtgggatt 3720 gastosgagg atagttgtgs acggaagaac acagcgaaac actaacacga tgaagaacta 3780 totgetteeg attgtggeeg tegeatitag caagtgggeg agggmataca aggeagaeet 3840 tgatgatgas saacctotgg gtgtocgaga gaggtoactt acttgotgot gottgtgggo 3900 atttamancy aggangatyc acaccatyta campanacca gacacccaga camtagtyna 3960 ggtgecttea gagtttaact egttegteat eeegageeta tggtetacag geetegeaat 4020 cccaqtcaga tcacgcatta agatgctttt ggccaagaag accaagcgag agttaatacc 4080 tgttctcgac gcgtcgtcag ccagggatgc tgaacaagag gagaaggaga ggttggaggc 4140 cgagetgact agagaageet taccaccoot ogtocccate gegeeggegg agaegggagt 4200 cytcyacytc gacyttyaag aactagagta tcacycaggt gcagggytcg tygaaacacc 4260 togoagogog tigaaagtoa cogoacagoo gaacgacgta ctactaggaa attacgtagt 4320 totytococy cagacogtgo toaagagoto caagttygoo cocytycaco ototagoaga 4380 quaggigana ataataacac ataacgggag ggccggcggt taccaggicg acggataiga 4440 oggoagggto ctactaceat gtggatoggo cattooggto cotgagttto aagotttgag 4500 cgagagogoc actatggtgt acaacgaaag ggagttogtc aacaggaaac tataccatat 4560 tgccgttcac ggaccgtcgc tgaacaccga cgaggagaac tacgagaaag tcagagctga 4620 magaactgac googagtacg tgttcgacgt agatmamama tgctgcgtca agagagaga 4680 agogtogggt trggtgttgg tgggagaget aaccaacocc cogttocatg aattogosta 4740 cgaagggctg aagatcaggc cgtoggcacc atataagact acagtagtag gagtctttgg 4800 ggttooggga tcaggcaagt ctgctattat taagagcctc gtgaccaaac acgatctggt 4860 a caccagegge waganggaga actgecagga aatagttaan gaegtgaaga agcaeegegg 4920 gaaggggaca agtagggaaa acagtgacte catcetgeta aacgggtgte gtegtgeegt 4980 ggacatecta tatgtggacg aggetttege ttgccattco ggtactetgo tggccctaat 5040 tyctottytt asacctcyga gcassytygt yttatgcyga gaccccasgc satgcygatt 5100 cttcaatatg atgcagetta aggtgaactt caaccacaac atetgcaetg aagtatgtca 5160 tammagtată todagăcett ecaegoetec aștomeșec ateștetata eșttecaeta 5220 oggaggeasy atgogeacya ocaacceyty cascasacce atestestay acaccacagy 5280 acagaccaag cocaagocag gagacatogt gttaacatgo ttoogaggot gggcaaagca 5340 getgeagttg gactacogtg gacacgaagt catgacagca gcagcatctc agggectcac 5400 cegeaaaggg gtataegeeg taaggeagaa ggtgaatgaa sateeettgt atgeecetge 5460 gteggageae gtgaatgtae tgetgaegeg daetgaegat aggetggtgt ggaaaaeget 5520 ggcoggegat coorggatta aggreetate aaacattesa cagggtaact ttacggccac 5580 attggaagaa tggcaagaag aacacgacaa aataatgaag gtgattgaag gaccggctgc 5540 gcctgtggac gcgttccaga acaaagcgaa cgtgtgttgg gcgaaaagcc tggtgcctgt 5700 cotggacact googgaatca gattgacage agaggagtog agcaccataa ttacagcatt 5760 tasgraggae agagettaet etecagtegt ggeettgaat gasattiges ccangtacta 5920 tggagtigac ctggacagtg gootgittic tgoccogaag gtgtccctgt attacgagaa 5880 caaccactgg gataacagan ctggtgeag gatgtatgga ttcaatgccg caacagctgc 5940 caggotggaa gotagacata cottootgaa ggggcagtgg catacgggca agcaggcagt 6000 tatogoagaa agaaasatoo aacogottto tgtgotggac aatgtastto ctatosacog 6060 cappotgoog cacquectgg tggctgagta caagacggtt aaaggcagta gggttgagtg 6120 gctggtcaat aaagtaagag ggtaccacgt cotgctggtg agtgagtaca acctggcttt 6180 gcctcgacgc agggtcactt ggttgtcacc gctgaatgtc acaggegccg ataggtgcta 6240 cgacctaagt ttaggactgc oggetgacgc oggeaggttc gacttggtct ttgtgaacat 6300 teacaeggaa ticagaatee accactacca geagtgigte gaccaegeea tgaagetgea 6360 gatgettiggg ggagatgege taegactget aaaaccegge ggeatettga tgagagetta 6420 cggatacgcc gatamaatca gcgangoogt tgtttcctcc ttaagcagam agttctcgtc 6480 tgcaagagtg ttgcgcccgg attgtgtcac cagcaataca gaagtgttct tgctgttctc 6540 caactitias aacggaaaga gacccictac gctacacong atgaatacca agctgagtge 6600 cgtgtatgcc ggagaagcca tgcacacggc cgggtgtgca coatcctaca gagttaagag 6660 SENT BY:SIMBAS

SIMBAS→

agcagacata	accacataca	CAGRAGEGGE	totootteac	gcagctaacg	cccgtggaac	672D
					ttaagggage	
					teatecacge	
					tggccgctgt	
ctaccoggea	at agencees	sectatecec	actotoacto	3004009111	ccatcccgct	5050
					tcaaccatct	
					acassagttg	
gysyssysse	acceaygeay	testeres	geggacggcc	åråäwärråc	tcaatgatga	7140
					tgggtcgtaa	
gggctacagt	avezergacy	ggtegetgta	ctcgtacttt	gaaggtacga	aattcmacca	7260
ggorgeratt	gararggcag	agatactgac	geegeggeee	agactgcaag	aggczaacga	7320
					aatgtooggt	
					gotacgosat	
					tggtttgctc	
					gcgagaaggt	
					ccgcatctac	
					cogactogic	
ttecacegee	agogataces	tarcactace	cagtttgcag	regratgaca	tegactegat	7740
cracdadecs	atggetecea	tagtagtgac	ggctgacgta	caccetgaac	ccgcaggcat	7800
					togagaaccc	
gattestack	ccgcgcccga	agagagetge	atacettgee	recedededd	cggagcgacc	7920
agraceasea	cegagaaage	carcacacac	cccwwddacz	gcgtttagga	acaagetgee	7980
retgaegere	ggegaetttg	acgagcacga	darcasraca	tragectees	ggattacttt	6040
cggagaette	gacgacgtcc	recease	cedededdar	gcatatattt	totoctogga	8100
cactogcago	ggacatttac	aacaaaaatc	carradaced	cacaatetee	agtgcgcaca	8160
actggatgcg	draceddedd	agaaaatgta	ccccccaaaa	rragatacta	agagggagaa	8220
deratraera	crgamatge	agatgcaccc	ateggagget	astangagto	gataccagto	8280
cogcanageg	gagaacatga	asgeeaeggt	åårääscsää	creacategg	gggccagatt	8340
gtatatggga	Goddwedrad	decdestree	secaracgeg	dereddrace	ccegccccgt	8400
gractoucut	Acceptaces	adattete	aagccccgat	gradcaatcg	cagogtgcaa	8460
cgantactta	cocagaaatt	acceaacage	ggcgccgtac	cagataacag	atgastacga	8520
coccecto	gattactaca	acgggcegga	tagttgettg	gacagagega	cattetgeee	8580
dacdeadece	cygrycracc	cyanacates	cgcgtaccac	cadecdaerd	tacgcagtgc	8640
chaceacata	coccccaga	ACACACTACA	gaacgtgcta	acaaccacca	ccaagagaaa	8700
ctccttcesc	acquatatec	gagaactacc	caccatggac	reggeagtgt	tcaacgtgga	8760
ccccateacc	actorogece	perceggaga	atattgggaa	gaatutgcta	aacaacctat	8820
tacattatta	actyagaaca	teactaceta	tgtgaccaaa	ttgaaaggcc	cgaaagctgc	8880
cacactcaec	guraegacee	aceacergge	recderdesd	gaggttccca	tggacagatt	8940
accessante	caccitante	argreaaagt	cactccaggg	acgazacaca	Cagaggaaag	9000
ccacaggge	ttagtaaccc	aagcagcgga	gecartggeg	accountace	tgtgcggcat	9060
toatatotoo	acconsecsor	ttcttatatge	rgrgctacgc	cctaacgtgc	acacattgtt	9120
cottetacae	acconnected	creates	Catogedtet	CACTTCCACC	caggagaccc	9180
annithanta	atcotocaso	atotaccoga	canagecag	gacgactcct	tggctcttac	9240
-pycctateg	gasetateen	accceggggt	ggaccagtac	cracradact	tgatcgagge	9300
tetastassa	torographet	gotgeeacer.	accascigge	redederres	agttoggage	9360
200220000	chaggearge	LUCEGACETE	GCCCRCCARC	actitttiga	acatcaccat	9420
concescato	gracuggage	agagactcac	rgactccgcc	tgtgcggcct	teateggega	9480
COT CRACET	Arrestassa.	tontheness	caagetgatg	åcääsäsäät	dededreded	9540
tacascatto	atantttt-	reattgadge	rarcarage	gasaaacccc	catatttttg	9600
	ttorestte-	acagegreae	auagacegee	rgccgtgttt	Cagacccact	9660
	creater	graageeget	zacagetgaz	gacaagcagg	acgaagacag	9720
arancharca	orded rated	aggttagcaa	gragiteegg	acaggettgg	gggccgaact	9780
33-33-33-4	CLSSCSTCLS	ggtatgaggt	BOLOGOCHOC	AARAOTE POO	**********	6048
ggcomccccg	Acces addages	TTEAGGCGTE	taacsaatto	Adaggaecto	++++===	2000
cracyycygic	ccraderida	TUCUTEAATA	CACACASTE	*cattccatc	24	2000
accerages.	ttnastart	yearrogges	cgagtaacaa	rggagttget	aatcctcaaa	10020
2-240-6-49	reaccatedat	GOECACEGCA	greacetttt	gittigette	tggtcassac	10080

10/16

17034150813;#45


atcactgaag aattitatca atcaacatgo agtgoagtta goaaaggota tottagtgot 10140 ctgagaactg gttggtatac cagtgttata actatagaat taagtaatat caaggaaaat 10200 aegtgtaatg gaacagatgo taaggtaaaa tigataaaac aagaattaga taaatataaa 10260 aatgotgtaa cagmattgca gttgctcatg caaagcacac cagcagcaaa caatcgagcc 10320 agaagagaac taccaaggtt tatgaattat acactcaaca atgccaaaaa aaccaatgta 10380 acattaagca agamaaggma aagamgattt cttggttttt tgttaggtgt tggatctgcm 10440 atogocagtg gogttgotgt atotaaggto otgoacotag aaggggaagt gaacaagato 10500 assagtgetc tactatocac assessaget gtagtcaget tatcasatgg agttagtgtc 10560 ttaaccagca aagtgttaga cotcaaaaac tatatagata aacaattgtt acctattgtg 10620 ancaagcasa gotgoagost atcaastata gasactgtga tagagttoos acaasagasc 10680 ascagactac tagagattac cagggaattt agtgttaatg caggtgtaac tacacctgta 10740 agcacttaca tgttaactaa tagtgaatta ttgtcattaa tcaatgatat gcctataaca 10800 aatgatcaga aaaagttaat gtocaacaat gttoaaatag ttagacagca aagttactot 10860 atcatgtcca taataaaaga ggaagtctta gcatatgtag tacaattacc actatatggt 10920 gttatagata caccotgttg gasactacac acatececte tatgtacaac caacacaaaa 10980 gaagggtoca acatotgttt aacaagaact gacagaggat ggtactgtga caatgcagga 11040 Tragtatott tottoccaca agotgaaaca tgtaaagtto aatcaaatcg agtattttgt 11100 gacacaatga acagtttaac attaccaagt gaaataaatc totgcaatgt tgacatattc 11160 ha accecanat atgattgtan anttatgaet tennangang atgtmageng etcegttate 11220 🗊 acatototag gagocattgt gtoatgotat ggcamaacta matgtacago atocastama 11280 🚍 aatogtggaa toataaagao attitotaao gggtgogatt atgtatoasa taaagggatg 11340 I gacactgtgt ctgtaggtma cacattatat tatgtamata agcamgaagg tamaagtctc 11400 atatgtamaag gtgamccamt metamattto tatgaccomt tagtattcoc ctotgatgam 11460 fitttgatgcat caatatetea agteaacgag aagattaace agageetage atttattegt 11520 aaatoogatg aattattaca taatgtaaat gotggtaaat coaccacaaa tatcatgact 11580 tgatestgag gatocagato cogggtaatt aattgaatta catcoctacg caaaogtttt 11640 acggcogccg gtggcgccog cgcccggcgg cocgtoottg gccgttgcag gccactccgg 11700 tggotcccgt cgtccccgac ttccaggood agoagatgca goaactcatc agogccgtaa 11760 atgogotgac aatgagacag aacgcaattg ctootgctag gootcocaaa ccaaagaaga 11820 agaagacaac caaaccaaag cogaaaacgc agcccaagaa gatcaacgga aaaacgcagc 11880 agcanaagam gamagacmag caagcogacm agaagaagam gamaccogga mamagagamm 11940 gaatgtgcat gaagattgaa aatgactgta tottogtatg oggotagooa cagtaacgta 12000 gtgtttccag acatgtcggg caccgcacta tcatgggtgc agaaaatctc gggtggtctg 12060 ggggcetteg caateggege tateetggtg etggttgtgg teactigeat tgggeteege 12120 agataagtta gggtaggcaa tggcattgat atagcaagaa aattgaaaac agsaaaagtt 12180 agggtaagca atggcatata accataactg tataacttgt aacaaagcgc aacaagacct 12240 gogoaattgg cocogtggtc ogcotoacgg saactcgggg caactcatat tgacacatta 12300 attggcaats attggaaget tacataaget taattegacy aataattgga titttattit 12360 attitgcaat tggtttttaa tatticcaaa aasaassaa aasaassaa aasaassa 12420 aaaaaaaaa aaaaaaaaa aaaaaaaaaa aaaaaaacta gcgggtcggc atggcatctc 12480 cacctecteg eggteegace tgggcateeg aaggaggacg cacgtecact eggatggeta 12540 agggagagat coagatotge tgtgccttct agttgccage catctgttgt ttgcccctcc 12600 congrete contraccon ggaaggtgcc acted acted toothicata atalaatgag 12660 qaaattgcat cgcattgtct gagtaggtgt cattetattc tggggggtgg ggtgggcag 12720 gacagcaagg gggaggattg ggaagacaat agcaggcatg ctggggatgc ggtgggctct 12780 atgggtaccc aggtgctgaa gaattgaccc ggttcctcct gggccagaaa gaagcaggca 12840 cateccette tetgigacae accetgicea egecetggt tettagitee ageccaete 12900 ataggacact catageteag gagggeteeg cetteaatee caceegetaa agtaettgga 12960 goggtototo cotocotoat cagoccacca aaccaaacct agoctocaag agtgggaaga 13020 aattaaagca agataggcta ttaagtgcag agggagagaa aatgcctcca acatgtgagg 13080 aagtaatgag agamatcata gamtttcttc cgcttcctcg ctcactgact cgctgcgctc 13140 ggtcgttcgg ctgcggcgag cggtatcagc tcactcaaag gcggtaatac ggttatccac 13200 agaatcaggg gataacgcag gaaagaacat gtgagcaaaa ggccagcana aggccaggaa 13260 Cogtasasag googogitgo tggogittit coataggoto ogcoccotq acqagcates 19320 caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa gataccaggc 13380 gtttecccct ggaagetece tegtgegete teetgtteeg accetgeege ttaceggata 13440 cotgtocgco tttctccctt ogggaagegt ggogotttct datagotcac gotgtaggta 13500

;11-13-98 ; 3:55PM ;

11//b

SIMBAS→

						,
totcagttcg	gtgtaggtcg	ttccctccaa	actagactat	otocacoaac	occoratto.	17560
acceasees	tgcgccttat	cccctaacta	******	*******	the country of the co	13300
cttategges	ctggcagcag	ccectagtes	cogcottgag	tecaaceegg	raagacacga	
toutaranan	ttottgaagt	couceggess	onggar cago	agagegaggt	erdraddcad	13680
tatetgeget	ctgctgaagc	Carttacett	CCECGGGGGG	actagaagaa	cagtatttgg	13740
CAABCRABCC	accordents	Secret sett	cygenenaga	årräårsåcz	cttgateegg	13800
CONCESSES	accgctggta	geggeggeet	chitchet	aegcagcaga	rracgcgcag	13860
COSSESSED	totomagaag	accertgat	crrrcracg	adaterasea	ctcagtggaa	13920
cottettant	cgttaaggga	ctttggccat	gagattatea	assaggatot	tcacctagat	13980
traceretter	tsassatgas	getttaaate	aatctaaagt	atatatgagt	asacttggtc	14040
stocettoctt	caatgottaa	rcedrawada	ACCTATCTCA	gegatetgte	tatttcgttc	14100
testancton	geotgaeteg	23333333333	gegetgaggt	ctgcctcgtg	aagaaggtgt	14160
ettestes.	taccaggeet	gaategeeee	atcatcoage	cagaaagtga	gggagccacg	14220
gergaegaga	gatttgttgt	*ddrddscc	gttggtgatt	ttgaactttt	gctttgccac	14280
ggaacggtet	gcgttgtcgg	gaagatgegt	gatetgatee	ttcaactcag	casaagttcg	14340
Attractors	caaagccgcc	gtcccgtcaa	gtcagcgtaa	tgctctgcca	gtgttacaac	14400
CESTIBACCE	attgtgatta	Gaaassctca	tccaccatca	aatgaaactg	Castttsten	14460
Atatoaggat	TATCESTACC	atatttttaa	Assauceatt	tototsatos	ACCECSEDO	14520
resectadat	agriccatag	gatogoaaga	toctootate	agtetocast	*CCGBGt cat	14580
CCERCATCEE	tacaacctat	taatttcccc	tcotcasss	taaggttate	aactcaces.	14640
rescentgag	tgacgactga	atcccctuac	aatoocaaaa	acttatacat	ttotttoone	14700
accegateaa	caddccadcc	attacoctco	tcatcaasat	Cacteggeate	2200222000	14760
craccourte	grgartgege	ctgaccgaca	CORRACTACOC	astcactatt	332200200	14000
receases	Jearcassta	Caaccggcgc	aggaacacto	CORCOCCATO		14860
accurate	CAGGETETTC	TTCTBatacc	topsatocto	ttttcccccc		14040
3 raad cearco	#racurcarc	2002GT acoo	またあさまったののヤ	tastaataa		10000
	ガントサウァドドサロ	ECCORCERC	tcarctatas	catcattan		* * * * * *
		CCCCCCCCA	TOGGGGGTTCC	**************************************		
3 - soc - rane r	good acate	atcocoacce	ごうてきをうけるのか	ratates.		
rrygaticia	aregedacer	CCSCCAAGSC	atttcccatt	destatant.		15240
Gracter	rgratatata	=dcadacact	tttattottc	atmatmater -		15300
ryrycaeryr	**curcagag	attttdadac	acaacatoac	tttcccccc		15360
ryadyuartt	arcadaacts	TEGECTCATO	ACCCCCATACA.	+ + + + + + + + + + + + + + + + + + + +		15420
## CC C C C C C C C C C C C C C C C C C	raggggttcc	gcgcacattt	CCCCGARRAG	torraretes	catatanana	15480
ACCALCATE	tcatgacatt	aacctatz22	aataggcgta	tcacgaggee	ctttegte	15538
					_	



DOISOCHE LIIPO

19190246 111398

constitution of the second control of the se

Figure 5 Ribozyme linker for pMP42

ឆ

GCCCAGCCGTACCGTAGAGGTTGAGGAGCGCCAGGCTGGACCCGTTAGGCTTCCTCCTGCGTGCAGGTGAGCCTACCGATTCCCTCTCTACG

10

15

DIDECTO SILLE

35

40

45

50

55

14/16

SIMBAS→

Figure 64SFV Eco RV-Spe I fragment ligated to ribozyme

ateggeaging ogectionan gagaaigaing totangeaca aatancacty ogtatgenet 60 atgegrages cagaagacco ogaaagsete satasetaes caaasaaact sscasessee 120 toogggaagg tgctggatag agagatogca ggaaasatca cogacotgca gacogtcaty 180 gctacgccag acgctgaatc tectacettt tgcctgcata cagacgtcac gtgtcgtacg 240 gragorgaag tegorgtata craggargts tatgotetar atgracease atogretetar 300 catcaggoga tgazaggtgt cagaacggcg tattggattg ggtttgacac caccccgttt 360 atgittigacy cyctagoagy cycytatoca acctacycca caaactggyc cyacyagoag 420 gigtiecagg ccaggiacat aggactgigt gcagcatcci tgactgaggg aagactcggc 480 assotyteca tictecycaa gasgematty asacettycy acadagtest gitetegyta 540 ggstotacat tgtacactga gagcagaaag ctactgagga gctggcactt accctccgta 600 ttocacctga aaggtamaca atcetttacc tgtaggtgcg ataccatogt atcatgtgam 660 gggtacgtag ttaagaaaat cactatgtgc cooggectgt acggtaasac ggtagggtac 720 googtgaogt atcacgogga gggattocta gtgtgcaaga ccacagacac tgtcaaagga 780 gasagagtot cattocotgt atgoacotac gtococtosa costotgtga tossatgact 840 ggcatactag cyacogacgt cacaceggag gaogcacaga agttgttagt gggattgaat 900 cagaggatag tigigaacgg aagaacacag cgaaacacta acacgatgaa gaactaicig 960 ottocgatty tegecytoge atttageaag tegyogagyg aatacaagge agacettgat 1020 gatgasasac ototgggtgt cogagagagy teacttactt getyetyett gtgygeattt 1080 esaccagaya agatguacac catgiacaag asaccagaca cocagacast agigaaggig 1140 ecttoagast traactostt ostcatocog ageotatgst cracaggeet ogcaatocoa 1200 gtcagatcac gcattaagat gcttttggcc aagaagacca agcgagagtt aatacstgtt 1260 ctogacgogt cytoagocay ygatgotgaa caagaggaga aggagaggtt ggagyoogag 1320 ctgactagag aageettace acceptogte occategege eggeggagae gggagtegte 1380 gacgtcgacg ttgasgsact agagtatoac gcaggtgcag gggtcgtggs sacacctcgc 1440 agogogitga aagtoacogo acagoogaac gaogtactac tagyaaatta cgtagttotg 1500 toccogoaga cogtgoteaa gagotecaag tiggoccoog igcaccotot agcagagoag 1560 gigaaaataa taacacataa cgggagggcc ggcggttacc aggtcgacgg atatgacggc 1620 agggtcoted teccetgtgg atoggcoatt coggtcootg agtttcaage tttgagogag 1680 agogocacta tggtgtacaa cgamagggag ttcgtcaaca ggamactata ccatattgcc 1740 gttcacqqac cqtcqctgaa caccqacqaq qagaactacq agaaagtcaq agctgaaaga 1800 actgacqccq agtacqtqtt cqacqtagat aaaaaatqct qcqtcaagaq agagqaaqcq 1860 toggettigg tgttggtggg agagetaaco aacccccegt tocatgaatt cgcctacgaa 1920 gggetgaaga teaggeegte ggeaccatat aagactacag tagtaggagt etttggggtt 1980 orgggatcag graagtotgo tattattaag agrotogtga ccasacarga totggtcaco 2040 aguggcaaga aggagaactg ccaggaaata gttaacgacg tgaagaagca ccgcgggaag 2100 gggacaagta gggaaaacag tgactccate ctgctaaacg ggtgtcgtcg tgccgtggac 2160 atcotatatg togacgagge tittogottge cattoogsta ctotgotgge cotaattget 2220 cttgttaaac ctcggagcaa agtggtgtta tgcggagacc ccaagcaatg cggattcttc 2280 astatgatge agettaaggt gasettease cacascatet gesetgasgt atgtestass 2340 agtatatoca gaogitigoac gogitocagio aoggicoateg tigiotalogit goacialogga 2400 ggcaagatgc gcacgaccaa cccgtgcaac aaacccataa tcatagacac cacaggacag 2460 accaegocca agoceggaga catogtgtta acatgettoc gaggetgggc aaagcagetg 2520 cagttggact acceptggaca cgaagtcatg acagcagcag catotcaggg cotcaccogc 2580 assagggstat acgccgtaag gcagaaggtg aatgasastc cettgtatge ceetgogteg 2640 gagcacgtga atgtactgct gacgcgcact gaggataggc tggtgtggaa aacgctggcc 2700 ggogatecet ggattaaggt cetateaaac attecacagg gtaactttac ggccacattg 2760 gaagaatggc aagaagaaca cgacaaata atgaaggtga ttgaaggacc ggctgcgcct 2820 gtggaegegt tecagaacaa agegaacgtg tgttgggega aaagectggt geetgteetg 2880 gacactgoog gaatcagatt gacagcagag gagtggagca ccataattac agcatttaag 2940 gaggacagag ettactetce agtggtggee ttgaatgaaa tttgcaccaa gtactatgga 3000 gttgacctgg acagtggcct gttttctgcc ccgaaggtgt ccctgtatta cgagaacaac 3060 cartuggata acagacetgg tggaaggatg tatggattca atgccgcaac agetgccagg 3120 ctggaagcta gacatacett cetgaagggg cagtggcata egggcaagca ggcagttate 3180 goagaaagaa aaatocaaco gotttotgtg otggacaatg taattootat caacogoagg 3240 ctgccgcacg ccctggtggc tgagtacaag acggttaaag gcagtagggt tgagtggctg 3300 gtcaataaag taagagggta ccacgtootg otggtgagtg agtacaacct ggotttgcot 3360 ogacgcaggg teactiggtt gicacogotg aatgicacag gegeogatag gigetaegae 3420

1

SIMBAS→

A4.66

ctaagthtag gactgooggo tgacgooggo aggitegact tggtctttgt gaacattcac 3480 acqqaattca qaatccacca ctaccagcaq tgtqtcqacc acgccatgaa gctgcagatg 3540 cttogggggg atgeoctacg actgctasas cccggcggca tcttgatgag agcttacgga 3600 tacgocyata asatcagoga agocyttytt tectecttas gosgasagtt otcytotycs 3660 agagtettee geooggatte tetencoage antacagaag tettetteet ettetecaac 3720 titigacaacg gasagagacc cictacgcts caccagatgs ataccasgct gagtgcogtg 3780 tatgggggg aggcatgga cacqqcqgg tgtqcaccat cctacagagt taagagagca 3840 garatagrea egigeacaga ageggetgig gitaacgrag ciaacgeceg iggaacigia 3900 ggygatggcg tatgcagggc cgtggcgaag aaatggccgt cagcctttaa gggagcagca 3960 10 acaccagtog graceattam macagitaming tocogracing accordinat comegetyta 4020 gegectaatt tetetgecae gaetgaageg gaaggggaee gegaattgge egetgtetae 4080 oggozatigo cogocogaagt aaacagacto teactigagea gogtagecat cococtigotig 4140 tocaceggaq tottcagogg oggaaqagat aggotgcago aatoottcaa coatotatto 4200 acagoantyg acgocacyga cyctyacyty accetotact ycagagacaa anyttygyay 4260 15 asganated aggangeent tyneatgagg auggetytyg agttyctcan tyntgacyty 4320 gayetgacea cagaettgyt gagagtgeae cegyacayea geetgytgyy teytaaggye 4380 tacagtacca otgacgggtc gctgtactcg tactttgaag gtacgasatt caaccaggct 4440 getattgata tegosgagat actgaegttg tegoccagad tecaagagyc aaacgaacag 4500 atatgeetat aegegetygg egaaacaatg gacaacatca gatecaaatg teeggtgaae 4560 20 gatteegatt eateaacac teecaggaca gtgeeetgee tytycegeta egcaatgaca 4620 gcaqaacgga togccogcot taggtcacac caagttaaaa gcatggtogt tigetcatot 4680 TI. tttcccctcc cgamatacca tgtagatggg gtgcagaagg tamagtgcga gaaggttotc 4740 ctgttcgacc cgacggtacc ttcagtggtt agtccgcgga agtatgccgc atctacgacg 4800 garcacteag atoggtogtt acgaggettt gaettggact ggaccacega etegtottec 4860 25_{1...} actgocages ataccatoto octacocast tigoastost signostosa ciosatotac 4920 gagocaatog otoccatagt agtgacogot gacgtacaco ctgaaccogo aggoatogog 4980 gacctggcgg cagatgtgca coctgaaccc gcagaccatg tggacctcga gaacccgatt 5040 cctocacege gcccgaagag agetgcatac Cttgcetcoc gegeggegga gcgaceggtg 5100 coggogocya gazagocyac gootgococa aggactycyt ttaggazcaz gotgocttty 5160 30.0 acettoggog actttgacga goacgaggte gatgogttgg ceteogggat tactttogga 5220 gastrogacg acgreetses actaggoese soggetseat atattttete etessacaet 5280 ggcagoggac atttacaaca aasatcogtt aggcagoaca atstocagtg cgcacaactg 5340 gatgoggtoc aggaggagaa aatgtaccog coazaattgg atactgagag ggagaagetg 5400 ttgctgctga aastgcagat gcaccoatcg gaggctasta agagtcgata ccagtctcgc 5460 35 aaagtggaga acatgaaage cacggtggtg gacaggetca categgggge cagattgtad 5520 megggagegg acgtaggeeg cataocaaca tacgeggtte ggtaceeeeg coceptgtae 5580 tesectaceg tgategaaag atteteaage congatgtag caategeage gtgcaacgaa 5640 tacctatoca geaattacoc aacagtggcg togtaccaga taacagatga atacgacgca 5700 tacttggaca tggttgacgg gtoggatagt tgcttggaca gagcgacatt ctgcccggcg 5760 asysteeggt getaceegaa acateatgeg taccaceage egactotacg tactgeogte 5820 coglicaccot ticagaacac actacagaac gigotagegg cegecaccaa gagaaacige 5880 asogterege aratgegaga actacecace atggaetegg engtgttena egtggngtge 5940 ttesageget atgeotgete eggagaatat teggaagaat atgetaases acctateegg 6000 ataaccactg agaacatcac tacctatgtg accaaattga aaggcccgaa agetgetgec 6060 45 ttgttcgcta agacccacaa cttggttccg ctgcaggagg ttcccatgga cagattcacg 6120 gtegacatga aacgagatgt caaagteact ccagggacga aacacacaga ggaaagaccc 6180 saagtocagg taattoaago agoggagoca ttggogacog ottacotgtg oggoatocae 6240 agggaattag taaggagadt aaatgetgtg ttacgeesta acgtgeacac attgtttgat 6300 atgloggoog asgactitgs ogogatosto goototoact tocaccoagg agaccoggit 6360 50 ctagagacgg acattgcatc attegacaaa agccaggacg actccttggc tcttacaggt 6420 ttaatgatee tegaagatet aggggtggat cagtacetge tggaettgat egaggeagee 6480 tttggggaaa tatocagoty toacotacoa actggcaogo gottcaagtt oggagotaty 6540 argametegg genegittet gaettigitt attacketg tittganeat caccatagen 6600 agcagggtac tggagcagag actoactgac tccgcctgtg cggccttcat cggcgacgac 6660 aacatogite aoggagigat otoogacaag otgatggogg agaggigogo giogigggio 6720 ascatggagg tgaagatcat tgacgctgtc atgggcgasa aacccccata tttttgtggg 6780 ggattcatag tittigacag cgicacacag accgccigcc gigtiicaga cccacitaag 6840 cgcctgttca agttgggtaa gccgctaaca gctgaagaca agcaggacga agacaggcga 6900 cgagcactga gtgacgaggt tagcaagtgg ttccggacag gcttgggggc cgaactggag 6960 5

10

15

20 🗇

16/16

SIMBAS→

4460

qtqqcactaa catctagqta tqaqqtagaq qqctqcaaaa qtatcctcat aqccatqqcc 7020 accttggcga gggadattaa ggogtttaag aaattgagag gacctgttat acacctctac 7080 quecertecte gattegrace traatecaca gastrotest tegatoates egosctatta 7140 taggatocag accorggeta atteattgas tracatocot acgossacet titacegocog 7200 coggtggcgc cogggccogg eggccogtec ttggccgttg caggccactc oggtggctcc 7260 ogtogtocco ganttocagg cocagoagat goagoaacto atcagogoog taaatgogot 7320 gacastyaga cagaacycaa htgchcotyr tagycctocc asaccaaga agaagaagac 7380 asccasacca sageogasaa egeageeesa gasgatesae ggasasaege ageageasaa 7440 gasgasagac sagcaagcog acaagaagaa gaagaaacoo ggasaaagag aaagaatgtg 7500 catgazgatt ganaatgact gtatottogt atgoggotag coscagtaso gtagtgttto 7560 cagacatgte gggcacogca ctatcatggg tgcagaaaat ctogggtggt ctoggggcot 7620 togosatogg ogetatoong gigotogetig togitoacity catteggeto ogeagataag 7680 ttagggtagg caatggcatt gatatagcaa gaaaattgaa ascagaasaa gttagggtas 7740 qualtyquat acaeccataa ctgtataact tgtaacaaag cgcaacaaga cotgogoaat 7800 tgycoccgtg gtocycotca oggaaantog gggcaactca tattgacaca ttaattggca 7860 mataattggaa gottacataa gottaattog angaataatt ggatttttat tttattitgc 7920 antigettt taktatttoc assessass assessas assessas assessas 2980 AMBARAMA AMBARAMANA BRAMAMANA CTAGOGGGGTO GGCATGGCAT CTCCACCTCC 8040 togoggtong acctgognat ongaaggagg acquaegton actoggatgg ctaagggaga 8100

The state of the s